



PROLINE™ TRANSPORT

LP / NH₃ / CO₂ / LNG

- Customizable trailer weights and balances allow you to maximize your load potential and reduce delivery costs.
- Built for the long road ahead, our manufacturing practices reduce premature wear and failures.
- Each transport is manufactured to your specific application, making ordinary and mundane trailers a thing of the past.
- Repair and service locations in Minnesota, Wisconsin and Kansas.

PROLINE LP/NH₃ TRANSPORT FEATURES

- Custom balanced trailer weights
- Multiple axle configurations to meet road requirements
- Stainless steel subframes
- Betts LED lighting package
- Custom finish
- Aluminum fenders
- Easily accessible fueling equipment
- 250-265 PSI
- Lightweight aluminum baffles
- Anti-lock brake system
- Air-ride suspension for smooth, easy towing
- Brake interlock to protect load lines
- Sandblasted, primed and painted with Axalta™ Imron® Elite paint
- Compliant with DOT specifications

SIZES

- 7,000 - 19,300 US Gallons
- Custom sizes available
- A-train/B-train configurations



MULTIPLE AXLE CONFIGURATIONS



BETTS LED LIGHTING PACKAGE



ALUMINUM FENDERS



CUSTOM FINISHES

NEW PROLINE LIGHTWEIGHT TRAILER MODEL

- 3/16" subframe
- Super singles (wheel and rims)
- No front fender
- Tray instead of hose tubes
- Aluminum landing gear
- Aluminum rear light box
- Up to 5% reduced transport weight if above design changes are chosen.



SUPER SINGLE



3/16" SUBFRAME

PROLINE LP/NH₃ TRANSPORT OPTIONS



HOSE STORAGE



LIFT AXLE



A AND B TRAIN CONFIGURATIONS



TOOLBOX



WORK LIGHTS



ELEVATED REAR LIGHTS

- LIFT AXLE
- ELEVATED REAR LIGHTS
- LANDING GEAR
- A AND B TRAIN CONFIGURATIONS
- POLY FENDERS
- STAINLESS STEEL FENDERS
- ALUMINUM SINGLE REAR FENDER

- REAR IMPACT GUARD
- HOSE STORAGE
- TROUGH STYLE HOSE STORAGE
- REVOLVER KINGPIN PLATE
- WORK LIGHTS
- CLEAR LENS LIGHTS
- LOWER MOUNT NOSE BOX WITH ISO

- PIPING: CROSSOVER-BYPASS PUMP TO LIQUID
- CUSTOM PAINT
- BOTTOM THIRD ROCK GUARD COATING
- SPARE TIRE
- TOOLBOX

PROLINE CO₂ TRANSPORT FEATURES



SPRAY-ON FOAM

- 5" POLYURETHANE SPRAY-ON FOAM INSULATION
- ALUMINUM FRONT AND REAR FENDERS
- BETTS LED LIGHTING PACKAGE
- BUILT TO DOT SPECIFICATIONS



PAINTED 5,800 GALLON CO₂ TRAILER

- REAR VAPOR LINE WITH RELIEF VALVES
- REAR MOUNTED VOLUME GAUGE
- MULTIPLE AXLE CONFIGURATIONS TO MEET ROAD REQUIREMENTS



MULTIPLE AXLE CONFIGURATIONS

- CUSTOM BALANCED TRAILER WEIGHTS
- LIGHTWEIGHT ALUMINUM BAFFLES
- AIR-RIDE SUSPENSION FOR SMOOTH, EASY TOWING

PROLINE CO₂ TRANSPORT OPTIONS



LIFT AXLE

- LIFT AXLE
- ELEVATED REAR LIGHTS
- HOSE STORAGE



PORTABLE STORAGE TRAILER

- CUSTOM PAINT AND DECALS
- PORTABLE STORAGE TRAILER
- ALUMINUM FENDERS



CABINET

- ALUMINUM JACKET WRAP
- STAINLESS STEEL JACKET WRAP
- WORK LIGHTS

PROLINE LNG TRANSPORT FEATURES



13,000 US GALLONS



BUILT TO DOT SPECIFICATIONS



PRESSURE BUILDING COIL SYSTEM - OFF LOADING



CARBON STEEL OUTER VESSEL

- 13,000 US GALLONS
- 85% MAXIMUM FILL VOLUME
- THREE LIGHTWEIGHT BAFFLES
- BUILT TO DOT SPECIFICATIONS



STAINLESS STEEL INNER VESSEL

- 70 PSI OPERATING PRESSURE
- -260° F STORING TEMPERATURE
- PRESSURE BUILDING COIL SYSTEM FOR OFFLOADING
- CARBON STEEL OUTER VESSEL



70 PSI OPERATING PRESSURE

- STAINLESS STEEL INNER VESSEL
- AIR-RIDE SUSPENSION FOR SMOOTH, EASY TOWING
- SANDBLASTED, PRIMED AND PAINTED WITH AXALTA™ IMRON® ELITE PAINT

PHOTO GALLERY



7,000 GALLON - NH₃ - 80" DIAMETER - METERED DELIVERY



10,600 GALLON - LP/NH₃ - 80" DIAMETER



13,000 GALLON - LNG - 96" DIAMETER - 70 PSI



10,000 GALLON - LP (FRONT) & 10,000 GALLON - LP (REAR) B-TRAIN



19,300 GALLON - LP - TRI-AXLE WITH LIFT



23,200 GALLON - LP - 350 PSI - PORTABLE STORAGE