



FUEL STORAGE TANK

300 / 560 / 1,000 / 2,000

- » Reduce freight costs and lead times.
- » On-site tank manufacturing allows for custom sizing.
- » Double-wall tanks approved for SPCC regulations.
- » Equipped with a drain to bleed the vessels of any water, reducing premature rust.
- » Constructed of 12 gauge steel.
- » Custom sizes available.
- » On-demand parts including pumps, hoses, nozzles, gauges and fill caps.

FUEL STORAGE TANKS


GALLONS (LITERS)	Gauge (mm)	Dimensions (mm)	Weight (kg)
300 (1,135)	12 (2.0)	38" x 60" (965 x 1,524)	300 (136)
560 (2,119)	12 (2.0)	48" x 72" (1,219 x 1,828)	525 (238)
1,000 (3,785)	12 (2.0)	64" x 72" (1,625 x 1,828)	705 (319)
2,000 (7,570)	12 (2.0)	64" x 144" (1,625 x 3,657)	1,234 (559)

ATMOSPHERIC TANKS



ATMOSPHERIC TANKS

TANK SPECIFICATIONS



CAPACITY		DIMENSIONS (IN)			SHELL PLATE THICKNESS		WEIGHT (LB)
GALLONS (LITERS)	Diameter	Length (L)	Saddle Width (B)	Saddle Separation (C)	Inner Tank	Outer Tank	Double Wall Tanks
1,000 (3,785)	64	72	58	32	10 ga	10 ga	1,700
2,000 (7,571)	64	144	58	112	3/16	10 ga	3,500
6,000 (22,710)	96	192	88	144	1/4	3/16	10,275
13,000 (50,350)	108	336	98	280	1/4	1/4	20,500
20,000 (75,710)	120	408	108	348	1/4	1/4	24,500
25,500 (94,640)	132	432	119	366	1/4	1/4	27,000